




Quotation Sheet

Customer's Name		Quotation No.	
Attn		Date	
Customer Tel No.		Product Name	PP Compression Fittings
Customer Fax No.		Price Term	
Customer Address			

We are pleased to quote the below offers to you:

Product	Specification	Unit Price	Order QTY	Total Value	Package		
Equal Coupling	(mm)	(USD/PCS)	(PCS)	(USD)	(PCS/CTN)	(KGS/CTN)	(CBM/CTN)
	S20			0.000	168	12.80	0.040
	S25			0.000	100	11.70	0.036
	S32			0.000	68	11.38	0.040
	S40			0.000	30	9.55	0.036
	S50			0.000	22	11.39	0.042
	S63			0.000	11	9.56	0.040
	S75			0.000	8	8.82	0.036
	S90			0.000	6	11.54	0.049
	S110			0.000	6	19.97	0.095
ELBOW 90°							
	L20			0.000	150	11.80	0.040
	L25			0.000	88	11.17	0.040
	L32			0.000	52	9.44	0.040
	L40			0.000	26	8.81	0.036
	L50			0.000	15	8.53	0.036
	L63			0.000	11	10.68	0.053
	L75			0.000	6	8.10	0.048
	L90			0.000	4	9.72	0.048
	L110			0.000	4	15.06	0.069
Equal Tee							
	T20			0.000	96	11.36	0.040
	T25			0.000	54	10.69	0.040
	T32			0.000	27	7.77	0.033
	T40			0.000	20	9.82	0.040



T50			0.000	9	8.03	0.036
T63			0.000	7	10.66	0.053
T75			0.000	6	11.00	0.067
T90			0.000	4	12.60	0.062
T110			0.000	3	16.53	0.103

End Cap



D20			0.000	260	13.44	0.040
D25			0.000	166	11.99	0.040
D32			0.000	120	11.62	0.040
D40			0.000	66	10.93	0.036
D50			0.000	45	12.76	0.046
D63			0.000	20	9.94	0.040
D75			0.000	16	9.82	0.040
D90			0.000	12	12.16	0.052
D110			0.000	12	22.18	0.086

Reducing Coupling



S25×20			0.000	120	12.58	0.040
S32×20			0.000	80	10.94	0.036
S32×25			0.000	74	11.58	0.040
S40×25			0.000	40	9.42	0.036
S40×32			0.000	40	10.38	0.036
S50×25			0.000	27	9.34	0.040
S50×32			0.000	26	9.59	0.040
S50×40			0.000	25	11.10	0.040
S63×32			0.000	19	10.60	0.040
S63×40			0.000	18	11.21	0.045
S63×50			0.000	12	8.86	0.033
S75×50			0.000	9	8.04	0.036
S75×63			0.000	9	9.50	0.050
S90×63			0.000	6	9.71	0.040
S90×75			0.000	6	9.06	0.048
S110×90			0.000	6	16.08	0.072

Reducing Tee




T25×20			0.000	60	11.06	0.040
T32×20			0.000	40	10.45	0.036
T32×25			0.000	40	10.49	0.036
T40×25			0.000	20	9.82	0.040
T40×32			0.000	20	9.82	0.040
T50×25			0.000	12	8.92	0.037
T50×32			0.000	12	9.06	0.042
T50×40			0.000	12	9.83	0.042
T63×40			0.000	7	8.60	0.042
T63×50			0.000	7	8.60	0.042



T75×50			0.000	6	9.84	0.047
T75×63			0.000	6	10.50	0.053
T90×63			0.000	4	11.11	0.063
T90×75			0.000	4	11.56	0.063
T110×63			0.000	3	15.10	0.074
T110×75			0.000	3	15.15	0.080
T110×90			0.000	3	15.21	0.098

Flanges



S40×1-1/2"			0.000	16	6.62	0.041
S50×1-1/2"			0.000	16	8.06	0.047
S50×2"			0.000	16	9.02	0.051
S63×2"			0.000	16	12.06	0.068
S63×2-1/2"			0.000	12	10.00	0.064
S75×2-1/2"			0.000	6	5.80	0.038
S75×3"			0.000	6	6.53	0.042
S90×3"			0.000	6	8.15	0.047
S90×4"			0.000	6	8.97	0.057
S110×4"			0.000	6	12.66	0.067

Female Coupling



S20×1/2"			0.000	222	12.47	0.033
S20×3/4"			0.000	222	13.35	0.033
S25×1/2"			0.000	150	11.95	0.036
S25×3/4"			0.000	150	12.40	0.036
S25×1"			0.000	150	13.15	0.036
S32×3/4"			0.000	100	12.20	0.036
S32×1"			0.000	100	12.20	0.036
S32×1-1/4"			0.000	100	12.20	0.040
S40×1"			0.000	60	12.22	0.040
S40×1-1/4"			0.000	60	12.22	0.040
S40×1-1/2"			0.000	60	12.22	0.040
S50×1-1/4"			0.000	40	10.70	0.044
S50×1-1/2"			0.000	40	10.70	0.044
S50×2"			0.000	40	10.70	0.044
S63×1-1/2"			0.000	20	10.82	0.040
S63×2"			0.000	20	10.82	0.040
S63×2-1/2"			0.000	20	10.82	0.040
S75×2"			0.000	16	11.52	0.056
S75×2-1/2"			0.000	16	11.52	0.056
S75×3"			0.000	16	11.52	0.056
S90×2-1/2"			0.000	12	13.58	0.059
S90×3"			0.000	12	13.58	0.059
S90×4"			0.000	12	13.58	0.059
S110×3"			0.000	6	11.35	0.056

	S110×4"			0.000	6	11.35	0.056
Male Adaptor							
	S20×1/2"M			0.000	260	13.18	0.033
	S20×3/4"M			0.000	216	11.50	0.033
	S20×1"M			0.000	216	12.36	0.033
	S25×1/2"M			0.000	165	12.09	0.033
	S25×3/4"M			0.000	150	11.35	0.033
	S25×1"M			0.000	135	10.83	0.033
	S32×1/2"M			0.000	120	11.86	0.036
	S32×3/4"M			0.000	105	10.78	0.036
	S32×1"M			0.000	102	10.29	0.036
	S32×1-1/4"M			0.000	102	10.29	0.036
	S40×1"M			0.000	66	11.06	0.036
	S40×1-1/4"M			0.000	62	10.62	0.036
	S40×1-1/2"M			0.000	56	9.77	0.036
	S50×1-1/4"M			0.000	30	9.40	0.036
	S50×1-1/2"M			0.000	30	9.49	0.036
	S50×2"M			0.000	30	9.49	0.036
	S63×1-1/2"M			0.000	20	10.26	0.036
	S63×2"M			0.000	20	10.32	0.036
	S63×2-1/2"M			0.000	16	9.87	0.036
	S75×2"M			0.000	16	9.87	0.051
	S75×2-1/2"M			0.000	16	10.72	0.051
	S75×3"M			0.000	16	9.80	0.051
	S90×2"M			0.000	12	11.91	0.055
	S90×2-1/2"M			0.000	12	11.88	0.055
S90×3"M			0.000	12	11.98	0.055	
S90×4"M			0.000	12	12.15	0.055	
S110×3"M			0.000	6	11.50	0.056	
S110×4"M			0.000	6	11.56	0.056	
Female Elbow							
	L20×1/2"			0.000	204	11.72	0.033
	L20×3/4"			0.000	204	11.72	0.033
	L25×1/2"			0.000	150	13.00	0.042
	L25×3/4"			0.000	150	13.00	0.042
	L25×1"			0.000	150	13.00	0.042
	L32×3/4"			0.000	80	10.46	0.040
	L32×1"			0.000	80	10.46	0.040
	L32×1-1/4"			0.000	80	10.46	0.040
	L40×1"			0.000	32	8.51	0.033
	L40×1-1/4"			0.000	32	8.51	0.033
	L40×1-1/2"			0.000	32	8.51	0.033
	L50×1-1/4"			0.000	20	9.12	0.036



L50×1-1/2"			0.000	20	9.12	0.036
L50×2"			0.000	20	9.12	0.036
L63×1-1/2"			0.000	18	13.66	0.054
L63×2"			0.000	18	13.50	0.057
L63×2-1/2"			0.000	18	13.50	0.057
L75×2"			0.000	7	7.57	0.040
L75×2-1/2"			0.000	7	7.44	0.040
L75×3"			0.000	7	7.57	0.040
L90×2-1/2"			0.000	5	8.30	0.039
L90×3"			0.000	5	8.30	0.039
L90×4"			0.000	5	8.30	0.043
L110×3"			0.000	4	10.51	0.043
L110×4"			0.000	4	10.51	0.043

Male Elbow



L20×1/2"			0.000	204	10.29	0.033
L20×3/4"			0.000	204	10.29	0.033
L25×1/2"			0.000	150	11.95	0.040
L25×3/4"			0.000	150	11.95	0.040
L25×1"			0.000	150	11.95	0.040
L32×3/4"			0.000	80	9.02	0.036
L32×1"			0.000	80	9.02	0.036
L32×1-1/4"			0.000	80	9.02	0.036
L40×1"			0.000	32	7.64	0.033
L40×1-1/4"			0.000	32	7.64	0.033
L40×1-1/2"			0.000	32	7.64	0.033
L50×1-1/4"			0.000	20	7.86	0.036
L50×1-1/2"			0.000	20	7.86	0.036
L50×2"			0.000	20	7.86	0.036
L63×1-1/2"			0.000	18	12.33	0.054
L63×2"			0.000	18	12.33	0.054
L63×2-1/2"			0.000	18	12.33	0.054
L75×2"			0.000	7	7.07	0.040
L75×2-1/2"			0.000	7	7.07	0.040
L75×3"			0.000	7	7.07	0.040
L90×2-1/2"			0.000	5	7.86	0.043
L90×3"			0.000	5	7.86	0.043
L90×4"			0.000	5	7.86	0.043
L110×3"			0.000	4	10.51	0.050
L110×4"			0.000	4	10.51	0.050

Female Tee

T20×1/2"F			0.000	96	11.36	0.033
T20×3/4"F			0.000	96	11.36	0.033
T25×1/2"F			0.000	60	11.06	0.033



T25×3/4"F			0.000	60	11.06	0.033
T25×1"F			0.000	60	11.06	0.033
T32×3/4"F			0.000	40	10.49	0.036
T32×1"F			0.000	40	10.49	0.036
T32×1-1/4"F			0.000	40	10.49	0.036
T40×1"F			0.000	20	10.55	0.044
T40×1-1/4"F			0.000	20	8.46	0.040
T40×1-1/2"F			0.000	20	8.46	0.040
T50×1-1/4"F			0.000	13	8.47	0.036
T50×1-1/2"F			0.000	13	8.47	0.036
T50×2"F			0.000	13	8.47	0.036
T63×1-1/2"F			0.000	9	9.90	0.047
T63×2"F			0.000	9	10.32	0.047
T63×2-1/2"F			0.000	9	9.90	0.047
T75×2"F			0.000	6	9.32	0.057
T75×2-1/2"F			0.000	6	9.32	0.057
T75×3"F			0.000	6	9.32	0.057
T90×2-1/2"F			0.000	6	14.25	0.077
T90×3"F			0.000	6	14.25	0.077
T90×4"F			0.000	6	14.25	0.077
T110×3"F			0.000	4	16.23	0.088
T110×4"F			0.000	4	16.23	0.088

Male Tee

T20×1/2"M			0.000	96	10.29	0.033
T20×3/4"M			0.000	96	10.29	0.033
T25×1/2"M			0.000	60	11.95	0.040
T25×3/4"M			0.000	60	11.95	0.040
T25×1"M			0.000	60	11.95	0.040
T32×1/2"M			0.000	40		
T32×3/4"M			0.000	40	9.02	0.036
T32×1"M			0.000	40	9.02	0.036
T32×1-1/4"M			0.000	40	9.02	0.036
T40×1"M			0.000	26	7.64	0.033
T40×1-1/4"M			0.000	26	7.64	0.033
T40×1-1/2"M			0.000	26	7.64	0.033
T50×1-1/4"M			0.000	12	7.86	0.036
T50×1-1/2"M			0.000	12	7.86	0.036
T50×2"M			0.000	12	7.86	0.036
T63×1-1/2"M			0.000	8	12.33	0.054
T63×2"M			0.000	8	12.33	0.054
T63×2-1/2"M			0.000	8	12.33	0.054
T75×2"M			0.000	6	7.07	0.040
T75×2-1/2"M			0.000	6	7.07	0.040



T75×3"M			0.000	6	7.07	0.040
T90×2-1/2"M			0.000	6	7.86	0.043
T90×3"M			0.000	6	7.86	0.043
T90×4"M			0.000	6	7.86	0.043
T110×3"M			0.000	4	10.51	0.050
T110×4"M			0.000	4	10.51	0.050

Clamp Saddle

25×1/2"			0.000	200	30.00	0.049
25×3/4"			0.000	200	30.00	0.049
32×1/2"			0.000	200	30.00	0.049
32×3/4"			0.000	200	30.00	0.049
32×1"			0.000	200	30.00	0.049
40×1/2"			0.000	160	30.00	0.042
40×3/4"			0.000	160	30.00	0.042
40×1"			0.000	160	30.00	0.042
50×1/2"			0.000	120	30.00	0.048
50×3/4"			0.000	100	30.00	0.048
50×1"			0.000	100	30.00	0.048
50×1-1/4"			0.000	120	30.00	0.048
50×1-1/2"			0.000	100	30.00	0.048
50×2"			0.000	100	30.00	0.048
63×1/2"			0.000	100	27.80	0.048
63×3/4"			0.000	100	27.80	0.048
63×1"			0.000	80	27.80	0.048
63×1-1/4"			0.000	100	27.80	0.048
63×1-1/2"			0.000	100	27.80	0.048
63×2"			0.000	80	27.80	0.048
63×2-1/2"			0.000	80	27.80	0.048
75×1/2"			0.000	80	28.40	0.048
75×3/4"			0.000	80	28.40	0.048
75×1"			0.000	80	28.60	0.048
75×1-1/4"			0.000	80	28.80	0.048
75×1-1/2"			0.000	80	28.80	0.048
75×2"			0.000	80	28.80	0.048
75×2-1/2"			0.000	80	31.00	0.054
75×3"			0.000	80	31.00	0.054
90×1/2"			0.000	50	25.60	0.067
90×3/4"			0.000	50	25.60	0.067
90×1"			0.000	50	25.80	0.067
90×1-1/4"			0.000	50	26.00	0.067
90×1-1/2"			0.000	50	26.00	0.067
90×2"			0.000	50	26.20	0.067
90×2-1/2"			0.000	40	26.20	0.067



90×3"			0.000	40	26.20	0.067
90×4"			0.000	40	26.20	0.067
110×1/2"			0.000	30	25.30	0.067
110×3/4"			0.000	30	25.50	0.067
110×1"			0.000	30	25.70	0.067
110×1-1/4"			0.000	30	25.90	0.081
110×1-1/2"			0.000	30	25.90	0.081
110×2"			0.000	30	26.20	0.081
110×3"			0.000	25	26.50	0.081
110×4"			0.000	25	26.50	0.081
125×3/4"			0.000	20	26.50	0.081
125×1"			0.000	20	26.50	0.081
125×1-1/4"			0.000	20	26.50	0.081
125×1-1/2"			0.000	20	26.50	0.081
125×2"			0.000	20	26.50	0.081
160×1/2"			0.000	20	26.50	0.081
160×3/4"			0.000	20	26.50	0.081
160×1"			0.000	20	26.50	0.081
160×1-1/4"			0.000	18	26.50	0.081
160×1-1/2"			0.000	18	26.50	0.081
160×2"			0.000	15	26.50	0.081
160×3"			0.000	15	26.50	0.081
160×4"			0.000	15	26.50	0.081
200×1/2"			0.000	10	26.50	0.081
200×3/4"			0.000	10	26.50	0.081
200×1"			0.000	10	26.50	0.081
200×1-1/4"			0.000	8	26.50	0.081
200×1-1/2"			0.000	8	26.50	0.081
200×2"			0.000	6	26.50	0.081
200×3"			0.000	6	26.50	0.081
200×4"			0.000	6	26.50	0.081
250×3/4"			0.000	5	26.50	0.081
250×1"			0.000	5	26.50	0.081
250×2"			0.000	5	26.50	0.081
250×3"			0.000	5	26.50	0.081
250×4"			0.000	5	26.50	0.081

Total Amount			0.000			
---------------------	--	--	--------------	--	--	--

Remark:

1. **Price term:**
2. **Packing method:** normal export packing is cartons, or as per request.
3. **Payment term:**
4. **Delivery time:**
5. **Sample available:** yes, samples available for small quantity need
6. **RISONG reserves the right to change prices once upon material cost & exchange rate floate more than 2% .**
7. **Validity date: 20 days.**

8. **Product details:**
 - (a). **Material:** 100% virgin PP-B raw material
 - (b). **Regular sizes available in stock**
 - (c). **Color:** black body & blue cap, or as per customers request.
 - (d). **Normal pressure rating:** PN1.6MPa for 20-63mm, PN1.0Mpa for 75-110mm
 - (e). **Standard:** EN 712/713/715/911; ISO 3501/3503/3458/3459